

Tubería helicoidal aislada interiormente

Tubería helicoidal de acero galvanizado DX51D Z200 aislada interiormente

Longitud: 3 ML | Espesor: desde 0,5 mm hasta 1,0 mm

Diámetro: desde 200 mm hasta 1250 mm | Espesor aislamiento: 5mm / 10 mm

TUBO



Ø	TA5GT Ø		TA10GT Ø	
	5 mm AISLAMIENTO		10 mm AISLAMIENTO	
	€ /UD (3ML)	€ /ML	€ /UD (3ML)	€ /ML
200	233,17	77,72	-	-
225	247,38	82,46	-	-
250	260,08	86,69	273,77	91,26
300	296,96	98,99	312,59	104,20
315	307,77	102,59	312,59	104,20
355	320,64	106,88	337,52	112,51
400	363,32	121,11	382,46	127,49
450	407,98	135,99	429,45	143,15
500	437,46	145,82	460,49	153,50
560	503,85	167,95	530,37	176,79
600	534,32	178,11	587,20	195,73
630	564,80	188,27	594,51	198,17
710	648,23	216,08	682,37	227,46
800	762,38	254,13	802,50	267,50
900	892,41	297,47	939,37	313,12
1000	994,12	331,37	1.046,44	348,81
1120	1.139,68	379,89	1.199,67	399,89
1250	1.246,82	415,61	1.312,44	437,48

Codos estampados y engatillados

Codos de acero galvanizado DX51D Z200 aislados interiormente.

Ángulos: 45° y 90° | Diámetros: desde 200 mm hasta 1250 mm | Sin junta de goma.

CODO A 45°



CODO A 90°



Ø	TA5C45Ø	TA10C45Ø	TA5C90Ø	TA10C90Ø
	5 mm AISLAMIENTO	10 mm AISLAMIENTO	5 mm AISLAMIENTO	10 mm AISLAMIENTO
	PVP €	PVP €	PVP €	PVP €
200	86,00	-	97,08	-
225	91,21	-	105,36	-
250	97,94	103,08	116,60	122,75
300	103,32	108,75	139,69	147,04
315	109,24	115,27	144,54	150,72
355	113,93	119,92	148,32	156,12
400	123,27	129,76	180,88	190,38
450	134,16	141,22	205,21	215,99
500	153,85	161,92	231,53	243,72
560	172,93	182,05	289,14	304,34
600	194,03	206,99	321,39	339,80
630	215,11	226,42	353,66	372,28
710	233,65	245,96	455,84	479,83
800	305,98	322,07	522,22	549,71
900	375,32	395,07	655,54	690,02
1000	553,93	583,07	885,09	931,65
1120	649,16	683,32	1.043,99	1.098,94
1250	738,60	777,46	1.298,31	1.366,65

Diferentes medidas, espesores o ángulos, [consultar](#)

Manguitos, tapas, derivaciones y TEs

Manguitos, tapas, derivaciones y Tes simples de acero galvanizado

DX51D Z200 aisladas interiormente

Longitud: 3 ML

Diámetro: desde 200 mm hasta 1250 mm

Espesor aislamiento: 5mm / 10 mm

	MANGUITO		TAPA		DERIVACIÓN		TE SIMPLE	
								
	TA5MØ	TA10MØ	TA5TPØ	TA10TPØ	TA5DØ	TA10DØ	TA5T90Ø	TA10T90Ø
	5 mm AISLAMIENTO	10 mm AISLAMIENTO	5 mm AISLAMIENTO	10 mm AISLAMIENTO	5 mm AISLAMIENTO	10 mm AISLAMIENTO	5 mm AISLAMIENTO	10 mm AISLAMIENTO
Ø	PVP €	PVP €	PVP €	PVP €	PVP €	PVP €	PVP €	PVP €
200	15,82	-	25,83	-	156,33	-	102,29	-
225	16,86	-	26,85	30,84	167,00	-	111,07	-
250	18,55	19,52	30,57	32,18	193,45	203,63	120,15	126,47
300	21,51	22,65	37,92	39,93	215,39	226,72	142,37	149,87
355	22,79	23,99	47,40	49,90	249,23	262,34	154,12	162,22
400	26,19	27,56	50,81	53,48	282,34	297,20	176,90	186,21
450	28,02	29,49	57,17	60,18	321,39	338,32	197,14	207,51
500	30,85	32,49	64,53	67,93	363,58	382,71	230,53	242,67
560	36,07	37,98	73,58	77,46	416,50	438,42	297,76	313,43
600	39,13	41,38	79,18	83,16	469,14	491,80	322,03	339,24
630	42,17	44,41	84,76	89,23	521,79	549,25	346,31	364,52
710	45,57	47,96	101,46	106,80	614,21	646,52	408,29	429,79
800	55,21	58,10	134,73	141,81	759,83	799,81	499,00	525,28
900	63,97	67,32	148,02	155,83	1.002,97	1.055,74	636,28	669,77
1000	75,98	80,01	172,51	181,58	1.130,47	1.188,50	767,47	807,87
1120	83,51	87,89	204,34	215,11	1.219,78	1.283,97	928,67	977,54
1250	93,55	98,48	248,94	262,03	1.409,83	1.484,03	1.050,65	1.105,95

Diferentes medidas o espesores, **consultar**

Reducciones

REDUCCIÓN SIMPLE



Reducciones de acero galvanizado DX51D Z200 aisladas interiormente
 Diámetros: desde 225 mm hasta 1250 mm
 Espesor aislamiento: 5mm / 10 mm
 Sin junta de goma

Ø	TA5RDØØ				TA10RDØØ			
	5 mm AISLAMIENTO (PVP FILA SUPERIOR)				10 mm AISLAMIENTO (PVP FILA INFERIOR)			
	200	225	250	300	355	400	450	500
225	65,05 -							
250	69,70 -	66,38 69,86						
300	82,77 86,60	81,43 85,73	77,80 81,94					
355	- 119,65	104,10 109,58	96,00 101,14	92,37 97,17				
400		121,17 127,46	115,70 121,82	103,94 109,41	103,45 108,93			
450			126,96 133,58	121,50 127,94	116,36 122,49	112,72 118,68		
500				148,32 156,08	143,33 150,96	140,04 147,48	138,05 145,32	
560					165,03 173,64	159,24 167,68	156,08 164,36	152,94 161,05
600						177,77 187,03	169,67 178,59	165,52 174,29
630						195,99 206,24	183,24 192,83	177,93 187,37
710							237,20 249,62	227,27 239,19
800								- 255,19
900								
1000								
1120								
1250								

Diferentes medidas, espesores o ángulos, **consultar**

Tes a 90° con reducción

REDUCCIÓN SIMPLE



TEs a 90° con reducción de acero galvanizado DX51D Z200
aisladas interiormente
Diámetros: desde 225 mm hasta 1250 mm
Espesor aislamiento: 5mm / 10 mm
Sin junta de goma

TA5TR90ØØ				TA10TR90ØØ				
5 mm AISLAMIENTO (PVP FILA SUPERIOR)				10 mm AISLAMIENTO (PVP FILA INFERIOR)				
Ø	200	225	250	300	355	400	450	500
225	105,44 -							
250	109,58 -	107,63 118,01						
300	119,34 125,70	127,78 134,57	131,25 138,21					
355	125,70 140,60	139,36 146,65	142,52 149,96	148,14 155,92				
400	- 153,44	150,80 158,74	153,93 162,04	161,88 170,32	171,00 179,92			
450	- 164,50	162,56 171,16	166,01 174,79	173,80 182,90	181,91 191,52	190,84 200,95		
500	- 181,18	180,08 189,53	185,04 194,82	199,44 209,87	207,72 218,66	217,34 228,76	222,47 234,21	
560	- 193,72	193,83 204,09	201,79 212,36	216,35 227,75	229,26 241,34	245,97 258,87	265,49 279,41	278,24 292,82
600			210,05 221,14	231,74 243,98	240,01 252,58	260,86 274,61	280,05 294,79	295,62 311,17
630			218,50 229,91	232,90 245,13	250,43 263,66	275,76 290,32	294,97 310,52	313,00 329,55
710			233,88 246,14	250,10 263,18	262,69 276,59	288,01 303,25	312,17 328,56	337,33 355,05
800			251,43 264,67	278,42 292,98	303,25 319,12	329,55 346,93	356,36 375,07	377,22 397,10
900				291,33 306,71	320,29 337,17	347,92 366,30	377,89 393,60	407,51 429,02
1000				332,03 349,59	374,24 393,94	402,05 423,25	432,02 454,69	461,48 485,81
1120				431,01 453,69	441,12 464,28	461,14 485,49	491,09 516,93	528,51 556,32
1250				502,53 529,01	380,65 555,99	560,30 589,75	592,41 623,52	621,37 654,13

Diferentes medidas, espesores o ángulos, **consultar**

560	600	630	710	800	900	1000	1120
328,08 345,28							
356,52 375,23	370,11 389,63	384,67 404,87					
401,55 422,74	416,95 438,97	432,50 455,18	472,40 497,23				
467,77 492,43	460,14 484,32	478,68 503,85	513,12 540,10	591,90 623,02			
493,25 519,24	514,28 541,27	535,31 563,43	577,99 608,46	651,66 685,93	734,59 773,33		
559,30 588,78	575,85 606,14	592,73 623,86	633,77 667,21	736,74 775,47	791,36 833,08	856,25 901,27	
658,12 692,72	677,81 713,56	697,51 734,26	737,07 775,81	829,10 872,80	894,99 942,14	856,25 997,44	1.000,24 1.052,88